

VK30E127

Connection technology • Cable sockets / connectors pre-assembled on one side

Connection cable, 3m, JST Female (socket) 4pin Straight, Free conductor end 4pin, 4x0.2mm², Ø3.7mm, 24V



ipf cable sockets are used primarily for establishing the electrical connection of sensors. Their features are characterized by rugged design, the highest protection classes (IP67 | IP68 | IP69K) and, if desired, with 360° shielding. With the features: bus-ready, suitable for use with drag chains and robots, resistance to oil and chemicals, resistance to welding sparks, their resistance to cleaning agents or high-pressure and steam-jet cleaning, the expanded temperature range of up to +230°C, the rapid interconnection technology and special data transmission properties, the cable sockets meet all requirements in automation technology.

Electrical features

Type of plug-in contact, A connection	Female (socket)
Type of cable	Multi-core
Type of A electrical connection	JST
Type of B electrical connection	Free conductor end
Line diameter	3.7mm
Number of pins of A connection	4
Number of pins of B connection	4
Operating voltage (AC 50Hz)	24V
Operating voltage (DC)	24V

Mechanical features

Number of cores	4
Conductor cross-section	0.2mm ²
Cable length	3m
Cable infeed of A connection	straight

Other features

Flame retardant	No
Version	Connection cable

Classification


ETIM 8	EC001855 Assembled sensor-actuator cable
--------	--

More

IPF Product Group	856 cable socket / cable connector (diverse)
packaging dimensions	123 x 77 x 25 mm
gross weight	72 g
Customs tariff number	85444290
WEEE number	40951076
OzDS-compliant	Yes
POP-compliant	Yes
Reach-compliant	Yes
RoHS-compliant	Yes

Connection

socket



Installation



Mounting / installation may only be carried out by a qualified electrician!

Disposal



Safety warnings

Before initial operation, please make sure to follow all safety instructions that may be provided in the product information.

Never use these devices in applications where the safety of a person depends on their functionality.

For suitable connection and mounting accessories, please refer to our website www.ipf-electronic.com.

Dimensional drawing

