

## FI52C052

### Filling level sensors • Inductive

Sensor filling level, inductive, 21x14x52mm, pendulum 200mm, 10-30V DC, PNP NO, M8 plug connector 3-pin, housing polyamide, joint stainless steel, pendulum stainless steel



There are filling level and level sensors that work according to different measuring principles. The choice of sensor depends on the medium to be detected and the environmental conditions. The material flow in a vibrating bowl can be inquired excellently with inductive level sensors whose pendulum is moved by the material in the bowl. Filling levels of liquid or solid media can be detected using capacitive filling level sensors, for example. These work according to the capacitor principle; the medium changes the dielectricity between two electrodes. The resulting change is converted into a digital output signal. Conductive filling level relays offer another alternative for detecting the filling level of conductive media. The resistance between the reference and meter electrode is determined. If the level falls below or overruns a set threshold, a relay output switches.

#### Electrical features

Number of normally open contacts	1
Display	LED display
Type of switching function	Normally open contact (NO)
Type of electrical connection	Connector M8
Type of switching output	PNP
Rated switching current	200 mA
No-load current	15 mA
Number of pins	3
Voltage drop	2 V
Measurement principle	Inductive
Operating voltage (DC)	10 - 30 V
ardSOCA_ElektrischerAnschluss	M8 3-pin plug connector
ardSOCA_Betriebsspannung	10-30VDC
ardTEEL_Schutzfunktionen	Verpolungsschutz   Kurzschlusschutz

**Mechanical features**


Design	Cuboid
Width	14 mm
Height	21 mm
Length	252 mm
Pendulum length	200 mm
Degree of protection (IP)	IP67
Housing material	Nylon 6 with 30% glass fibers
Joint material	Stainless steel
Pendulum material	Stainless steel 1.4571
Ambient temperature	0 - 50 °C
ardSOCA_Abmessungen	252x14x21mm


**Classification**

ETIM 8	EC001447 Level/level monitoring device
--------	--

**More**

IPF Product Group	351 filling level sensors (mechanic/inductive)
packaging dimensions	350 x 250 x 30 mm
gross weight	69 g
Customs tariff number	85365019
WEEE number	40951076
OzDS-compliant	Yes
POP-compliant	Yes
Reach-compliant	Yes
RoHS-compliant	Yes

**Connection**

**Dimensional drawing****Installation**

Mounting / installation may only be carried out by a qualified electrician!

**Disposal**

WEEE number according to § 6 para. 3  
ElektroG: 40951076

**Safety warnings**

- I** Before initial operation, please make sure to follow all safety instructions that may be provided in the product information.
- I** Never use these devices in applications where the safety of a person depends on their functionality.