Sealing Plugs for plastic Cable Glands

BP.PDS.M20XL-M25S.PA.GN.K50

- Sealing element for installation of cable glands in enclosures
- Accessory for CG.P*DS.* size M20XL … M25S cable glands plastic with double seal insert
- Polyamide
- Ex e and Ex tb certified
- Suitable for operation in Zone 1, Zone 2, Zone 21 and Zone 22
- Packaging unit: 50 pieces, without accessories

Dimensions



Technical Data

Mechanical specifications		
Degree of protection		IP66 / IP68
Material		Polyamide (PA)
Finish		inherent color green
Mass		
Individual component		approx. 2 g
Packing unit		approx. 95 g
Dimensions		
Diameter (D)		11 mm
Outer diameter (DO)		18 mm
Length of pin (PL)		13.5 mm
Total length (L)		22 mm
Ambient conditions		
Ambient temperature		-60 ... 70 °C (-76 ... 158 °F)
Impact resistance		4 J
Data for application in connection with hazardous areas		
EU-type examination certificate		IMQ 15 ATEX 006X

Release date: 2024-07-31 Date of issue: 2024-07-31 Filename: 309638_eng.pdf

Technical Data

Marking	Ⓔx II 2 GD Ex e IIC Gb Ex tb IIIC Db
International approvals	
IECEx approval	IECEx IMQ 15.0001X
Conformity	
Degree of protection	EN 60529
General information	
Note	For exact reference to types and sizes of cable glands please refer to the specific datasheets
Delivery quantity	50
Scope of delivery	Sealing Plugs for plastic Cable Glands Brief instructions (1 copy)
Supplementary information	EC-Type Examination Certificate, Statement of Conformity, Declaration of Conformity, Attestation of Conformity and instructions have to be observed where applicable. For information see www.pepperl-fuchs.com.

Release date: 2024-07-31 Date of issue: 2024-07-31 Filename: 309638_eng.pdf