


## Stopping Plugs, Metal, Hexagon Socket Head

### SP.MA.NPT3/8.BN.X.15.K50

- Stopping plug for unused cable entries
- Brass nickel-plated
- Thread NPT 3/8"
- Without head, installation by means of allen key
- Ex db, Ex eb and Ex tb certified
- Suitable for operation in Zone 1, Zone 2, Zone 21 and Zone 22
- Suitable for operation in Class I, Zone 1/2/22
- Suitable for operation in Class I, Division 2 when installed in accordance with NEC501.10(B)(2)
- Degree of protection IP66 / IP68, UL Type 4X
- Packaging unit: 50 pieces, without accessories



### Dimensions



Details see data table

Legend	
1	Stopping plug
KS	Key size
L	Total length
TD	Thread size
TL	Thread length

### Technical Data

#### Mechanical specifications

Thread type NPT ANSI ASME B1.20.1

Thread size (TD) NPT 3/8"

Degree of protection IP66 / IP68 , UL Type 4X

Material

## Technical Data

Finish	inherent color silver
Stopping plug	brass, nickel-plated
<b>Mass</b>	
Individual component	approx. 25 g
Packing unit	approx. 1.38 kg
<b>Dimensions</b>	
Thread length (TL)	15 mm
Total length (L)	15 mm
Key size (KS)	6 mm
<b>Tightening torque</b>	
Nut torque at enclosure (SW1)	7 Nm
<b>Ambient conditions</b>	
Ambient temperature	-60 ... 130 °C (-76 ... 266 °F)
<b>Data for application in connection with hazardous areas</b>	
EU-type examination certificate	CESI 15 ATEX 029X
Marking	Ex II 2 GD Ex db IIC Gb Ex eb IIC Gb Ex tb IIIC Db
<b>International approvals</b>	
UL approval	
cULus	E305142 tested to UL 50E and UL 508A CSA C22.2, No. 14-13
IECEx approval	IECEx CES 15.0006X
UKCA approval	CML 22 UKEX 1267X
EAC approval	RU C-DE.AA87.B.00459/20
CCC approval	2021312313000343
<b>Conformity</b>	
Degree of protection	EN 60529
<b>General information</b>	
Delivery quantity	50
Scope of delivery	Stopping Plugs, Metal, Hexagon Socket Head brief instructions (1 copy)
Supplementary information	EC-Type Examination Certificate, Statement of Conformity, Declaration of Conformity, Attestation of Conformity and instructions have to be observed where applicable. For information see <a href="http://www.pepperl-fuchs.com">www.pepperl-fuchs.com</a> .