




# Stopping Plugs, Metal, Hexagon Socket Head

SP.MA.NPT3/4.SS.X.20.K50

- Stopping plug for unused cable entries
- Stainless Steel
- Thread NPT 3/4"
- Without head, installation by means of allen key
- Ex db, Ex eb and Ex tb certified
- Suitable for operation in Zone 1, Zone 2, Zone 21 and Zone 22
- Suitable for operation in Class I, Zone 1/2/22
- Suitable for operation in Class I, Division 2 when installed in accordance with NEC501.10(B)(2)
- Degree of protection IP66 / IP68, UL Type 4X
- Packaging unit: 50 pieces, without accessories



## Dimensions



Details see data table

Legend	
1	Stopping plug
KS	Key size
L	Total length
TD	Thread size
TL	Thread length

## Technical Data

### Mechanical specifications

Thread type	NPT ANSI ASME B1.20.1
Thread size (TD)	NPT 3/4"
Degree of protection	IP66 / IP68 , UL Type 4X
Material	

## Technical Data

Finish	inherent color silver	
Stopping plug		stainless steel
Mass		
Individual component		approx. 77 g
Packing unit		approx. 4.24 kg
Dimensions		
Thread length (TL)		20 mm
Total length (L)		20 mm
Key size (KS)		10 mm
Tightening torque		
Nut torque at enclosure (SW1)		9 Nm
<b>Ambient conditions</b>		
Ambient temperature		-60 ... 130 °C (-76 ... 266 °F)
<b>Data for application in connection with hazardous areas</b>		
EU-type examination certificate		CESI 15 ATEX 029X
Marking		Ⓔ II 2 GD Ex db IIC Gb Ex eb IIC Gb Ex tb IIIC Db
<b>International approvals</b>		
UL approval		
cULus		E305142 tested to UL 50E and UL 508A CSA C22.2, No. 14-13
IECEx approval		IECEx CES 15.0006X
UKCA approval		CML 22 UKEX 1267X
CCC approval		2021312313000343
<b>Conformity</b>		
Degree of protection		EN 60529
<b>General information</b>		
Delivery quantity		50
Scope of delivery		Stopping Plugs, Metal, Hexagon Socket Head Brief instructions (1 copy)
Supplementary information		EC-Type Examination Certificate, Statement of Conformity, Declaration of Conformity, Attestation of Conformity and instructions have to be observed where applicable. For information see <a href="http://www.pepperl-fuchs.com">www.pepperl-fuchs.com</a> .