



EDR40RT

Data

Ordering data

Product type description	EDR40RT
Article number (order number)	101006322
EAN (European Article Number)	4030661464633
eCl@ss number, version 9.0	27-37-12-12
eCl@ss number, version 11.0	27-37-12-12
eCl@ss number, version 12.0	27-37-12-12
ETIM number, version 7.0	EC001038
ETIM number, version 6.0	EC001038

General data

Standards	EN IEC 60947-1 EN IEC 62061 EN IEC 60947-5-1 EN IEC 60947-5-3 EN IEC 60947-5-5 EN IEC 60204-1
Versions	Embeddable button - Front plate mounting
Design	Round
Material of the operators	Aluminium
Colour of the operating element	Red

Gross weight	40 g
--------------	------

General data - Features

Safety functions	No
Snap-action mechanism integrated	No
External snap mechanism	No
Latching	Yes
Fully insulated	Yes

Mechanical data

Unlocking	Rotating unlatcher
Mechanical life, minimum	100,000 Operations
Actuating stroke	5 mm
Mounting	mounting flange
Tightening torque of the screw	0.6 Nm

Mechanical data - Dimensions

Height	29 mm
Diameter of cap	38.5 mm
Diameter hole	22.3 mm
Diameter hole, with tolerance indication	22,3 + 0,4 mm
Thickness, of the front panel, minimum	1.5 mm
Thickness of the front panel, maximum	6 mm

Ambient conditions

Degree of protection	IP65
Ambient temperature, minimum	-25 °C
Ambient temperature, maximum	+80 °C
Restistance to shock	30 g / 18 ms

Electrical data

Switching frequency	600 /h
---------------------	--------

K.A. Schmersal GmbH & Co. KG, Möddinghofe 30, 42279 Wuppertal

The details and data referred to have been carefully checked. Images may diverge from original. Further technical data can be found in the manual. Technical amendments and errors possible.

Generated on: 26/08/2022, 09:55