



RWSE6K.1

Data

Ordering data

Product type description	RWSE6K.1
Article number (order number)	101195860
EAN (European Article Number)	4030661601359
eCl@ss number, version 9.0	27-37-12-43
eCl@ss number, version 11.0	27-37-12-43
eCl@ss number, version 12.0	27-37-12-43
ETIM number, version 7.0	EC001029
ETIM number, version 6.0	EC001029

General data

Standards	EN IEC 60947-3
Versions	Toggle
Toggle	long
Sealing type	Membrane Lip gaskets
Material of the operators	Plastic
Material of the front ring	Aluminium
Colour of the front ring	Silver

Colour of the handle	Grey
Gross weight	170 g

General data - Features

Latching	Yes
Fully insulated	Yes
Number of switch positions	6

Mechanical data

switching angle	60 °
Mounting	mounting flange
Tightening torque of the screw	0.6 Nm

Mechanical data - Connection technique

Termination	Screw terminals M20 x 1.5
-------------	---------------------------

Mechanical data - Dimensions

Height	32 mm
Mounting depth	69.5 mm
Diameter of the front ring	39.5 mm
Length of the handle	34 mm
Diameter of the knob	54 mm
Diameter hole	22.3 mm
Diameter hole, with tolerance indication	22.3 + 0.4 mm
Thickness, of the front panel, minimum	1.5 mm
Thickness of the front panel, maximum	6 mm
Spacing	50 x 50 mm

Ambient conditions

Degree of protection	IP65
Ambient temperature, minimum	+0 °C
Ambient temperature, maximum	+80 °C

Ambient conditions - Insulation values

Rated insulation voltage U_i	690 V
--------------------------------	-------

Electrical data

Thermal test current	20 A
Switching capacity, AC-3	5,500 W
Switching capacity, AC-23	7,500 W

K.A. Schmersal GmbH & Co. KG, Möddinghofe 30, 42279 Wuppertal

The details and data referred to have been carefully checked. Images may diverge from original. Further technical data can be found in the manual. Technical amendments and errors possible.

Generated on: 26/08/2022, 09:40