

## Filter Fan



## Description

|                            |                  |
|----------------------------|------------------|
| <b>Order Number:</b>       | 4883A3103        |
| <b>Colour:</b>             | RAL 9005         |
| <b>Housing Material:</b>   | ABS Plastic      |
| <b>Ingress Protection:</b> | IP 54, Type 12   |
| <b>Note:</b>               | Reverse air flow |
| <b>Approvals:</b>          | CE, cURus, cULus |
| <b>UL File Number:</b>     | E498756          |

### Accessories:



[Hose-proof protection hood FC 4000 400](#)



[Hose-proof protection hood FC 4000 400 FDA](#)



[Adjustable Thermostat NO](#)

## Technical Data

|                                     |                                             |
|-------------------------------------|---------------------------------------------|
| <b>Operating Temperature Range:</b> | -10°C - +55°C                               |
| <b>Air flow unimpeded:</b>          | 930 m³/h                                    |
| <b>Dimensions A x B x C (D+E):</b>  | 325 x 325 x 158.5 mm                        |
| <b>Weight:</b>                      | 4.25 kg                                     |
| <b>Cut out dimensions:</b>          | 291 x 291 (+1.5) mm                         |
| <b>Voltage / Frequency:</b>         | 120 V ~ 60 Hz                               |
| <b>Rated current:</b>               | 1.5 A                                       |
| <b>Power consumption:</b>           | 172 W                                       |
| <b>Degree of separation:</b>        | 85% - DIN 24185                             |
| <b>Wall thickness:</b>              | 1.5 - 2.5 mm                                |
| <b>Filter class:</b>                | G3 according to EN 779                      |
| <b>Installation:</b>                | Elastic clips or by 4 self-threading screws |
| <b>Noise level:</b>                 | 72 dB(A)                                    |

Please click on the graphics to download.


More CAD drawings can be found under [Product Download](#).

> [Overview Product Group Filter fans & exhaust filters](#)

### Air flow:


Q = Air flow [cfm]

P = Static pressure [inH2O]



[click image to enlarge](#)

### Cut Out Dimension:



[click image to enlarge](#)

## Order Information

|                   |               |
|-------------------|---------------|
| <b>Taric code</b> | 84145915      |
| <b>GTIN (EAN)</b> | 5350604100763 |