

Product data sheet  
Characteristics

## XXZKITDM6

Ultrasonic Configuration accessory, jumper  
M12 Male 4-pin to Deutsch Female 6-pin  
connector

## Main

Product or component type	Accessory kit
Accessory / separate part destination	Ultrasonic sensor
Product compatibility	XXW - ultrasonic sensor
Accessory / separate part categor	Configuration accessories
Accessory / separate part type	Configuration software

## Complementary

Connector type	6 pins DTM04-6P connector 4 pins M12 male connector
Material	Plastic and metal

## Environment

Ambient air temperature for storage	-20...45 °C
Ambient air temperature for operation	0...45 °C
Relative humidity	95 % without condensation

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.500 cm
Package 1 Width	18.000 cm
Package 1 Length	24.000 cm
Package 1 Weight	55.000 g
Unit Type of Package 2	S02
Number of Units in Package 2	20
Package 2 Height	15 cm
Package 2 Width	30 cm
Package 2 Length	40 cm
Package 2 Weight	1.424 kg

## Offer Sustainability


WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
California proposition 65	WARNING: This product can expose you to chemicals including: Diisobutyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>
For all Reach Rohs enquiries contact us at	<a href="mailto:sustainability@tesensors.com">sustainability@tesensors.com</a>

---

Dimensions

---


Cable with one male M12 4-pin connector and one female Deutsch DTM04 6-pin connector



Connection and schema

Configuration cable

Cable with one male M12 4-pin connector and one female Deutsch DTM04 6-pin connector



(1): M12 connector (male, 4-pin)

(2): Deutsch connector DTM04 (female, 6-pin)

M12 connector	Wire Color	Description
1	Brown	24 V ■ , power to sensor
2	White	Software communication
3	Blue	0 V ■
4	Black	Software communication

Deutsch connector DTM04	Wire Color	Description
1	Brown	24 V ■ , power to sensor
2	Blue	0 V ■
3	Black	Software communication
4	White	Software communication
5	—	Contact not connected, equipped with a sealing plug
6	—	Contact not connected, equipped with a sealing plug