

Male, 1/2 20UNF, 3 pin, elbowed connector,  
cable gland Pg 7



#### Main

|                                   |                                                                               |
|-----------------------------------|-------------------------------------------------------------------------------|
| Range of product                  | Telemecanique Cabling components                                              |
| Accessory / separate part categor | Cabling accessories                                                           |
| Accessory / separate part type    | Connector                                                                     |
| Electrical connection             | Elbowed male connector 1/2 20 UNF, 3 pins                                     |
| Collar material                   | Metal                                                                         |
| Status LED                        | Without                                                                       |
| Cable connection                  | Screw terminal / wire size <0.75 mm <sup>2</sup> / clamping capacity 3...6 mm |

#### Complementary

|                                |           |
|--------------------------------|-----------|
| Cable gland type               | Pg 7      |
| Cable connector fixing         | Screw-on  |
| [Ue] rated operational voltage | 250 V AC  |
| [In] rated current             | 4 A       |
| Enclosure material             | Plastic   |
| Minimum insulating resistance  | 1000 GΩ   |
| Contact resistance             | 8000 μOhm |
| Net weight                     | 0.025 kg  |

#### Environment

|                                       |             |
|---------------------------------------|-------------|
| IP degree of protection               | IP67        |
| Ambient air temperature for operation | -40...85 °C |

#### Packing Units

|                              |         |
|------------------------------|---------|
| Unit Type of Package 1       | PCE     |
| Number of Units in Package 1 | 1       |
| Package 1 Height             | 2.0 cm  |
| Package 1 Width              | 6.0 cm  |
| Package 1 Length             | 8.0 cm  |
| Package 1 Weight             | 23.0 g  |
| Unit Type of Package 2       | S01     |
| Number of Units in Package 2 | 20      |
| Package 2 Height             | 15.0 cm |
| Package 2 Width              | 15.0 cm |
| Package 2 Length             | 40.0 cm |
| Package 2 Weight             | 658.0 g |

#### Offer Sustainability

|                                            |                                                                                                                                                                                                                                                                                                                                                                                   |
|--------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| California proposition 65                  | WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> |
| For all Reach Rohs enquiries contact us at | <a href="mailto:sustainability@tesensors.com">sustainability@tesensors.com</a>                                                                                                                                                                                                                                                                                                    |


## Contractual warranty

---

|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

---

## Dimensions



(1) Cable gland : no. 7 plastic (Pg 7)

---

## Connections and Schemes

---

