


381167231	DATA SHEET	
Valid from: 31.07.2025	EPIC® H-A 016 MS 17-32	

Description

- H-A inserts with screw termination up to 2.5 mm² wire cross section.
- Slim connector insert for standard application.
- Easy to service screw connection.
- Universal for current and voltage transmission.



Images may vary

General Characteristics

Series	H-A 16 (Contact identification 17-32)
Details	Two inserts for a complete assembly needed
Version	Male
Design Size	32A
Number of Contacts	16 + PE (Contact identification 17-32)
Wire Protection	Yes
Termination Methods	Screw termination: 1.0–2.5 mm ² /AWG 18-14
Temperature Range	-40°C up to +125°C

Mechanical Characteristics

Cycle of mechanical operation	≥ 500
Tightening torque contact screw	0.5 Nm

Electrical Characteristics

Rated Voltage, IEC	250 V
Rated Voltage, UL	600 V
Rated Voltage, CSA	600 V
Rated Impulse Voltage	4 kV
Rated Current, IEC	16 A
Rated Current, UL	16 A
Rated Current, CSA	16 A
Contact Resistance	≤ 1 mΩ
Pollution degree	3

Materials and Surfaces

Contacts	Copper alloy, hard-silver plated
Insulating Body	PC
Flammability Class according to UL 94	V-0

AbN
automation

Creator: TODV1/BU EPIC Released: THBO1/BU EPIC	Document: DB381167231EN Version: 01	Page 1 of 3
---	--	-------------

381167231	DATA SHEET	
Valid from: 31.07.2025	EPIC® H-A 016 MS 17-32	



Certifications

UL- Certification, E-File-Number E75770

Standard

Safety Standard IEC 61984, IEC 60664-1
UL 1977
CSA 22.2 182.3

Technical Drawings



Pin assignment

We reserve all rights according to DIN ISO 16016.
PD 0019/05_04.18EN

381167231	DATA SHEET	
Valid from: 31.07.2025	EPIC® H-A 016 MS 17-32	



Industrial machinery and plant engineering



Assembly time



Space Requirement

Info

Slim standard insert, easy to connect by screw
 Universal for current and voltage transmission

Application range

Machine and equipment manufacturings
 Control engineering

Remark

Photographs are not to scale and do not represent detailed images of the respective products.

AbN
 automation

Creator: TODV1/BU EPIC Released: THBO1/BU EPIC	Document: DB381167231EN Version: 01	Page 3 of 3
---	--	-------------