

52108040	DATA SHEET	
Valid from: 03.07.2018	SKINDICHT® SE-M 220 / 320	

The SKINDICHT® SE-M 220/ 320 flange angle glands have two or three separate cable inlets which accept the cables whilst remaining impermeable to water and oil. Lead the cables through a single opening into the housing. In this way, two or three cable leads can be installed together in a single component. The gland, securely mounted, provides reliable protection even in very confined spaces.

SKINDICHT® SE-M 220/ 230 can also be combined with a lot of special glands of our program. The protection class depends on the special glands which are combined, but the standard version is at least IP 55.



Components:

Angular housing	Zinc die-casting, grey hammer-tone enamelled
Pressure screw	Brass, nickel-plated
Pressure washer	Steel, zinc-plated
Incised sealing ring	CR
Sleeve	PE
Gasket	SBR

Technical features:

Connecting thread	M20x1,5 acc. to EN 60423
Temperature range	-20 °C up to +80 °C
Protection class	IP55 acc. to EN 60529
Surface	structured finish, colour RAL 7001
Design	SE-M 220 with 2 cable entries SE-M 320 with 3 cable entries SE-M 220 without sealing ring and compression screw SE-M 320 without sealing ring and compression screw


Norm references:



AbN
automation


Creator: V.Charcenko /PDP Released: DAMU1/PDP	Document: DB52108040EN Version: 02	Page 1 of 5
--	---------------------------------------	-------------

SKINDICHT® SE-M 220



Article No.	ϕF Incised sealing ring [mm]
52108040	4 / 7 / 10 / 13

SKINDICHT® SE-M 230




Article No.	ϕF Incised sealing ring [mm]
52108050	4 / 7 / 10 / 13

AbN
automation

52108040	DATA SHEET	
Valid from: 03.07.2018	SKINDICHT® SE-M 220 / 320	

SKINDICHT® SE-M 220 without E+D

Article No.: 52108041




Dimension units: **mm**

Creator: V.Charcenko /PDP Released: DAMU1/PDP	Document: DB52108040EN Version: 02	Page 4 of 5
--	---------------------------------------	-------------

52108040	DATA SHEET	
Valid from: 03.07.2018	SKINDICHT® SE-M 220 / 320	

SKINDICHT® SE-M 230 without E+D

Article No.: 52108051



Dimension units: **mm**

AbN
automation

For more information please see our current catalogue. Please do not hesitate to contact our laboratory if there are any questions regarding resistance against aggressive agents and special oil.

Creator: V.Charcenko /PDP Released: DAMU1/PDP	Document: DB52108040EN Version: 02	Page 5 of 5
--	---------------------------------------	-------------