


| | | |
|---------------------------|--|---|
| 52220030 | DATA SHEET |  |
| Valid from: 29.08.2022 | SKINTOP® MULTI FLANGE FL21 / FL21+M25 | |

A flange plate with an attached gasket. The outer dimensions are in accordance with the Swedish standard SEN 28 09 01. The inner opening is suited for the SKINTOP® MULTI and SKINTOP® CUBE. In the second version, in addition to a multiple entry an additional M25 gland can be mounted.



Single parts:

| | |
|--------------------|--|
| Flange | Steel, powder coated (RAL7035) / V2A-steel |
| Gasgekt | NBR-SBR |
| Fastening material | Screws, washer, locknut |

Technical Features:

| | |
|-------------------|-------------------------------------|
| Layout | FL21 acc. SEN 28 09 01 |
| Protection class | IP66 acc. to DIN EN 60529* |
| Temperature range | -10°C up to +70°C (short-term 90°C) |

Approbation:



Reference Standards:

DIN EN 60529

Suitable accessories:

SKINTOP® MULTI
SKINTOP® CUBE
SKINTOP® Cable Gland M25

*IP-class can only be achieved if used with a correctly mounted accessory.

AbN
automation

| | | |
|--|---------------------------------------|-------------|
| Creator: MASC10/PDP Released: DAMU1/PDP | Document: DB52220030EN Version: 02 | Page 1 of 3 |
|--|---------------------------------------|-------------|


| | | |
|---------------------------|--|---|
| 52220030 | DATA SHEET |  |
| Valid from: 29.08.2022 | SKINTOP® MULTI FLANGE FL21 / FL21+M25 | |

Type versions:

| Identification | Size | Material | Colour | Recess |
|----------------|------|----------------------------|-------------------------------|--|
| 52220030 | FL21 | <i>Powder coated steel</i> | RAL7035 | SKINTOP MULTI / SKINTOP CUBE |
| 52220031 | FL21 | <i>Stainless steel</i> | <i>Rolled stainless steel</i> | SKINTOP MULTI / SKINTOP CUBE |
| 52220032 | FL21 | <i>Powder coated steel</i> | RAL7035 | SKINTOP MULTI + M25 / SKINTOP CUBE + M25 |
| 52220033 | FL21 | <i>Stainless steel</i> | <i>Rolled stainless steel</i> | SKINTOP MULTI + M25 / SKINTOP CUBE + M25 |


Dimensions:

SKINTOP MULTI FLANSCH FL21 RAL7035 / V2A



| | | |
|---------------------------|--|---|
| 52220030 | DATA SHEET |  |
| Valid from: 29.08.2022 | SKINTOP® MULTI FLANGE FL21 / FL21+M25 | |

SKINTOP MULTI FLANSCH FL21 + M25 RAL7035 / V2A



AbN
automation

For more information please see our current catalogue. Please do not hesitate to contact our laboratory if there are any questions regarding resistance against aggressive agents and special oil.

| | | |
|--|---------------------------------------|-------------|
| Creator: MASC10/PDP Released: DAMU1/PDP | Document: DB52220030EN Version: 02 | Page 3 of 3 |
|--|---------------------------------------|-------------|