

| | |
|---------------------------|-------------------------|
| 61820900 | DATA SHEET |
| Valid from: 14.04.2025 | Marking rings PC |

Combination labelling for cables and wires, for Fast snap installation.

Material: Polycarbonate

Technical features:

Imprint Alphanumeric and special characters
 Printing Hot stamping
 Temperature range -30°C up to +60°C
 Cable cross-section 0,5 to 6mm²
 Outer Cable diameter 2,4 to 6,2mm

Additional features:

Flame retardant V0 acc. to UL94
 Halogen-free yes
 UV resistance yes

Colour: Yellow with black print



| Article no. | Designation | Imprint | Outer cable diameter mm | Cross-section mm ² |
|---|---------------------------|---------|-------------------------|-------------------------------|
| Marking rings PC 0,5 – 1,5mm² | | | | |
| | Marking rings PC 10/0 | 0 | 2,4 - 3 | 0,5 – 1,5 |
| 61820910 | Marking rings PC 10/1 | 1 | 2,4 - 3 | 0,5 – 1,5 |
| 61820920 | Marking rings PC 10/2 | 2 | 2,4 - 3 | 0,5 – 1,5 |
| 61820930 | Marking rings PC 10/3 | 3 | 2,4 - 3 | 0,5 – 1,5 |
| 61820940 | Marking rings PC 10/4 | 4 | 2,4 - 3 | 0,5 – 1,5 |
| 61820950 | Marking rings PC 10/5 | 5 | 2,4 - 3 | 0,5 – 1,5 |
| 61820960 | Marking rings PC 10/6 | 6 | 2,4 - 3 | 0,5 – 1,5 |
| 61820970 | Marking rings PC 10/7 | 7 | 2,4 - 3 | 0,5 – 1,5 |
| 61820980 | Marking rings PC 10/8 | 8 | 2,4 - 3 | 0,5 – 1,5 |
| 61820990 | Marking rings PC 10/9 | 9 | 2,4 - 3 | 0,5 – 1,5 |
| 61821000 | Marking rings PC 10/BLANC | Blanc | 2,4 - 3 | 0,5 – 1,5 |
| 61821010 | Marking rings PC 10/A | A | 2,4 - 3 | 0,5 – 1,5 |
| 61821020 | Marking rings PC 10/B | B | 2,4 - 3 | 0,5 – 1,5 |
| 61821030 | Marking rings PC 10/C | C | 2,4 - 3 | 0,5 – 1,5 |
| 61821040 | Marking rings PC 10/D | D | 2,4 - 3 | 0,5 – 1,5 |
| 61821050 | Marking rings PC 10/E | E | 2,4 - 3 | 0,5 – 1,5 |
| 61821060 | Marking rings PC 10/F | F | 2,4 - 3 | 0,5 – 1,5 |
| 61821070 | Marking rings PC 10/G | G | 2,4 - 3 | 0,5 – 1,5 |

Abn automation

Please refer to our current catalogue for further details.

Our laboratory will be happy to advise you on questions of resistance to aggressive media or certain oils.

| | |
|---------------------------|-------------------------|
| 61820900 | DATA SHEET |
| Valid from: 14.04.2025 | Marking rings PC |

| | | | | |
|--|--------------------------------|-------|---------|-----------|
| 61821080 | Marking rings PC 10/H | H | 2,4 - 3 | 0,5 - 1,5 |
| 61821090 | Marking rings PC 10/I | I | 2,4 - 3 | 0,5 - 1,5 |
| 61821100 | Marking rings PC 10/J | J | 2,4 - 3 | 0,5 - 1,5 |
| 61821110 | Marking rings PC 10/K | K | 2,4 - 3 | 0,5 - 1,5 |
| 61821120 | Marking rings PC 10/L | L | 2,4 - 3 | 0,5 - 1,5 |
| 61821130 | Marking rings PC 10/M | M | 2,4 - 3 | 0,5 - 1,5 |
| 61821140 | Marking rings PC 10/N | N | 2,4 - 3 | 0,5 - 1,5 |
| 61821150 | Marking rings PC 10/O | O | 2,4 - 3 | 0,5 - 1,5 |
| 61821160 | Marking rings PC 10/P | P | 2,4 - 3 | 0,5 - 1,5 |
| 61821170 | Marking rings PC 10/Q | Q | 2,4 - 3 | 0,5 - 1,5 |
| 61821180 | Marking rings PC 10/R | R | 2,4 - 3 | 0,5 - 1,5 |
| 61821190 | Marking rings PC 10/S | S | 2,4 - 3 | 0,5 - 1,5 |
| 61821200 | Marking rings PC 10/T | T | 2,4 - 3 | 0,5 - 1,5 |
| 61821210 | Marking rings PC 10/U | U | 2,4 - 3 | 0,5 - 1,5 |
| 61821220 | Marking rings PC 10/V | V | 2,4 - 3 | 0,5 - 1,5 |
| 61821230 | Marking rings PC 10/W | W | 2,4 - 3 | 0,5 - 1,5 |
| 61821240 | Marking rings PC 10/X | X | 2,4 - 3 | 0,5 - 1,5 |
| 61821250 | Marking rings PC 10/Y | Y | 2,4 - 3 | 0,5 - 1,5 |
| 61821260 | Marking rings PC 10/Z | Z | 2,4 - 3 | 0,5 - 1,5 |
| 61821270 | Marking rings PC 10// | / | 2,4 - 3 | 0,5 - 1,5 |
| 61821280 | Marking rings PC 10/. POINT | . | 2,4 - 3 | 0,5 - 1,5 |
| 61821290 | Markierhülse PC 10/, COMMA | , | 2,4 - 3 | 0,5 - 1,5 |
| 61821300 | Marking rings PC 10/: | : | 2,4 - 3 | 0,5 - 1,5 |
| 61821310 | Marking rings 10/= | = | 2,4 - 3 | 0,5 - 1,5 |
| 61821320 | Marking rings PC 10/Earth | Earth | 2,4 - 3 | 0,5 - 1,5 |
| 61821360 | Marking rings PC 10/+ PLUS | + | 2,4 - 3 | 0,5 - 1,5 |
| 61821370 | Marking rings PC 10/- MINUS | - | 2,4 - 3 | 0,5 - 1,5 |
| 61821380 | Marking rings PC 10/~ SINUS | ~ | 2,4 - 3 | 0,5 - 1,5 |
| Marking rings PC 1,5 - 2,5 mm² | | | | |
| 61821400 | Marking rings PC 20/0 | 0 | 3 - 4 | 1,5 - 2,5 |
| 61821410 | Marking rings PC 20/1 | 1 | 3 - 4 | 1,5 - 2,5 |
| 61821420 | Marking rings PC 20/2 | 2 | 3 - 4 | 1,5 - 2,5 |
| 61821430 | Marking rings PC 20/3 | 3 | 3 - 4 | 1,5 - 2,5 |
| 61821440 | Marking rings PC 20/4 | 4 | 3 - 4 | 1,5 - 2,5 |
| 61821450 | Marking rings PC 20/5 | 5 | 3 - 4 | 1,5 - 2,5 |
| 61821460 | Marking rings PC 20/6 | 6 | 3 - 4 | 1,5 - 2,5 |
| 61821470 | Marking rings PC 20/7 | 7 | 3 - 4 | 1,5 - 2,5 |

| | |
|---------------------------|-------------------------|
| 61820900 | DATA SHEET |
| Valid from: 14.04.2025 | Marking rings PC |

| | | | | |
|----------|--------------------------------|-------|-------|-----------|
| 61821480 | Marking rings PC 20/8 | 8 | 3 - 4 | 1,5 - 2,5 |
| 61821490 | Marking rings PC 20/9 | 9 | 3 - 4 | 1,5 - 2,5 |
| 61821500 | Marking rings PC 20/ BLANC | Blanc | 3 - 4 | 1,5 - 2,5 |
| 61821510 | Marking rings PC 20/A | A | 3 - 4 | 1,5 - 2,5 |
| 61821520 | Marking rings PC 20/B | B | 3 - 4 | 1,5 - 2,5 |
| 61821530 | Marking rings PC 20/C | C | 3 - 4 | 1,5 - 2,5 |
| 61821540 | Marking rings PC 20/D | D | 3 - 4 | 1,5 - 2,5 |
| 61821550 | Marking rings PC 20/E | E | 3 - 4 | 1,5 - 2,5 |
| 61821560 | Marking rings PC 20/F | F | 3 - 4 | 1,5 - 2,5 |
| 61821570 | Marking rings PC 20/G | G | 3 - 4 | 1,5 - 2,5 |
| 61821580 | Marking rings PC 20/H | H | 3 - 4 | 1,5 - 2,5 |
| 61821590 | Marking rings PC 20/I | I | 3 - 4 | 1,5 - 2,5 |
| 61821600 | Marking rings PC 20/J | J | 3 - 4 | 1,5 - 2,5 |
| 61821610 | Marking rings PC 20/K | K | 3 - 4 | 1,5 - 2,5 |
| 61821620 | Marking rings PC 20/L | L | 3 - 4 | 1,5 - 2,5 |
| 61821630 | Marking rings PC 20/M | M | 3 - 4 | 1,5 - 2,5 |
| 61821640 | Marking rings PC 20/N | N | 3 - 4 | 1,5 - 2,5 |
| 61821650 | Marking rings PC 20/O | O | 3 - 4 | 1,5 - 2,5 |
| 61821660 | Marking rings PC 20/P | P | 3 - 4 | 1,5 - 2,5 |
| 61821670 | Marking rings PC 20/Q | Q | 3 - 4 | 1,5 - 2,5 |
| 61821680 | Marking rings PC 20/R | R | 3 - 4 | 1,5 - 2,5 |
| 61821690 | Marking rings PC 20/S | S | 3 - 4 | 1,5 - 2,5 |
| 61821700 | Marking rings PC 20/T | T | 3 - 4 | 1,5 - 2,5 |
| 61821710 | Marking rings PC 20/U | U | 3 - 4 | 1,5 - 2,5 |
| 61821720 | Marking rings PC 20/V | V | 3 - 4 | 1,5 - 2,5 |
| 61821730 | Marking rings PC 20/W | W | 3 - 4 | 1,5 - 2,5 |
| 61821740 | Marking rings PC 20/X | X | 3 - 4 | 1,5 - 2,5 |
| 61821750 | Marking rings PC 20/Y | Y | 3 - 4 | 1,5 - 2,5 |
| 61821760 | Marking rings PC 20/Z | Z | 3 - 4 | 1,5 - 2,5 |
| 61821770 | Marking rings PC 20// | / | 3 - 4 | 1,5 - 2,5 |
| 61821780 | Marking rings PC 20/. POINT | . | 3 - 4 | 1,5 - 2,5 |
| 61821790 | Marking rings PC 20/, COMMA | , | 3 - 4 | 1,5 - 2,5 |
| 61821800 | Marking rings PC 20/: | : | 3 - 4 | 1,5 - 2,5 |
| 61821810 | Marking rings PC 20/= | = | 3 - 4 | 1,5 - 2,5 |
| 61821820 | Marking rings PC 20/ Erarth | Earth | 3 - 4 | 1,5 - 2,5 |
| 61821860 | Marking rings PC 20/+ PLUS | + | 3 - 4 | 1,5 - 2,5 |
| 61821870 | Marking rings PC 20/- MINUS | - | 3 - 4 | 1,5 - 2,5 |

| | |
|---------------------------|-------------------------|
| 61820900 | DATA SHEET |
| Valid from: 14.04.2025 | Marking rings PC |

| | | | | |
|---|--------------------------------|-------|-------|-----------|
| 61821880 | Marking rings PC 20/~ SINUS | ~ | 3 - 4 | 1,5 - 2,5 |
| Marking rings PC 2,5 - 4mm² | | | | |
| 61821900 | Marking rings PC 30/0 | 0 | 4 - 5 | 2,5 - 4 |
| 61821910 | Marking rings PC 30/1 | 1 | 4 - 5 | 2,5 - 4 |
| 61821920 | Marking rings PC 30/2 | 2 | 4 - 5 | 2,5 - 4 |
| 61821930 | Marking rings PC 30/3 | 3 | 4 - 5 | 2,5 - 4 |
| 61821940 | Marking rings PC 30/4 | 4 | 4 - 5 | 2,5 - 4 |
| 61821950 | Marking rings PC 30/5 | 5 | 4 - 5 | 2,5 - 4 |
| 61821960 | Marking rings PC 30/6 | 6 | 4 - 5 | 2,5 - 4 |
| 61821970 | Marking rings PC 30/7 | 7 | 4 - 5 | 2,5 - 4 |
| 61821980 | Marking rings PC 30/8 | 8 | 4 - 5 | 2,5 - 4 |
| 61821990 | Marking rings PC 30/9 | 9 | 4 - 5 | 2,5 - 4 |
| 61822000 | Marking rings PC 30/ BLANC | Blanc | 4 - 5 | 2,5 - 4 |
| 61822010 | Marking rings PC 30/A | A | 4 - 5 | 2,5 - 4 |
| 61822020 | Marking rings PC 30/B | B | 4 - 5 | 2,5 - 4 |
| 61822030 | Marking rings PC 30/C | C | 4 - 5 | 2,5 - 4 |
| 61822040 | Marking rings PC 30/D | D | 4 - 5 | 2,5 - 4 |
| 61822050 | Marking rings PC 30/E | E | 4 - 5 | 2,5 - 4 |
| 61822060 | Marking rings PC 30/F | F | 4 - 5 | 2,5 - 4 |
| 61822070 | Marking rings PC 30/G | G | 4 - 5 | 2,5 - 4 |
| 61822080 | Marking rings PC 30/H | H | 4 - 5 | 2,5 - 4 |
| 61822090 | Marking rings PC 30/I | I | 4 - 5 | 2,5 - 4 |
| 61822100 | Marking rings PC 30/J | J | 4 - 5 | 2,5 - 4 |
| 61822110 | Marking rings PC 30/K | K | 4 - 5 | 2,5 - 4 |
| 61822120 | Marking rings PC 30/L | L | 4 - 5 | 2,5 - 4 |
| 61822130 | Marking rings PC 30/M | M | 4 - 5 | 2,5 - 4 |
| 61822140 | Marking rings PC 30/N | N | 4 - 5 | 2,5 - 4 |
| 61822150 | Marking rings PC 30/O | O | 4 - 5 | 2,5 - 4 |
| 61822160 | Marking rings PC 30/P | P | 4 - 5 | 2,5 - 4 |
| 61822170 | Marking rings PC 30/Q | Q | 4 - 5 | 2,5 - 4 |
| 61822180 | Marking rings PC 30/R | R | 4 - 5 | 2,5 - 4 |
| 61822190 | Marking rings PC 30/S | S | 4 - 5 | 2,5 - 4 |
| 61822200 | Marking rings PC 30/T | T | 4 - 5 | 2,5 - 4 |
| 61822210 | Marking rings PC 30/U | U | 4 - 5 | 2,5 - 4 |
| 61822220 | Marking rings PC 30/V | V | 4 - 5 | 2,5 - 4 |
| 61822230 | Marking rings PC 30/W | W | 4 - 5 | 2,5 - 4 |
| 61822240 | Marking rings PC 30/X | X | 4 - 5 | 2,5 - 4 |
| 61822250 | Marking rings PC 30/Y | Y | 4 - 5 | 2,5 - 4 |

| | |
|---------------------------|-------------------------|
| 61820900 | DATA SHEET |
| Valid from: 14.04.2025 | Marking rings PC |

| | | | | |
|--|---------------------------------|-------|---------|---------|
| 61822260 | Marking rings PC 30/Z | Z | 4 - 5 | 2,5 - 4 |
| 61822270 | Marking rings PC 30// | / | 4 - 5 | 2,5 - 4 |
| 61822280 | Marking rings PC 30/. POINT | . | 4 - 5 | 2,5 - 4 |
| 61822290 | Marking rings PC 30/, COMMA | , | 4 - 5 | 2,5 - 4 |
| 61822300 | Marking rings PC 30/: | : | 4 - 5 | 2,5 - 4 |
| 61822310 | Marking rings PC 30/= | = | 4 - 5 | 2,5 - 4 |
| 61822320 | Marking rings PC 30/ Earth | Earth | 4 - 5 | 2,5 - 4 |
| 61822360 | Marking rings e PC 30/+ PLUS | + | 4 - 5 | 2,5 - 4 |
| 61822370 | Marking rings PC 30/- MINUS | - | 4 - 5 | 2,5 - 4 |
| 61822380 | Marking rings PC 30/~ SINUS | ~ | 4 - 5 | 2,5 - 4 |
| Marking rings PC 4 – 6 mm² | | | | |
| 61822400 | Marking rings PC 40/0 | 0 | 5 – 6,2 | 4 - 6 |
| 61822410 | Marking rings PC 40/1 | 1 | 5 – 6,2 | 4 - 6 |
| 61822420 | Marking rings PC 40/2 | 2 | 5 – 6,2 | 4 - 6 |
| 61822430 | Marking rings PC 40/3 | 3 | 5 – 6,2 | 4 - 6 |
| 61822440 | Marking rings PC 40/4 | 4 | 5 – 6,2 | 4 - 6 |
| 61822450 | Marking rings PC 40/5 | 5 | 5 – 6,2 | 4 - 6 |
| 61822460 | Marking rings PC 40/6 | 6 | 5 – 6,2 | 4 - 6 |
| 61822470 | Marking rings PC 40/7 | 7 | 5 – 6,2 | 4 - 6 |
| 61822480 | Marking rings PC 40/8 | 8 | 5 – 6,2 | 4 - 6 |
| 61822490 | Marking rings PC 40/9 | 9 | 5 – 6,2 | 4 - 6 |
| 61822500 | Marking rings PC 40/ BLANC | Blanc | 5 – 6,2 | 4 - 6 |
| 61822510 | Marking rings PC 40/A | A | 5 – 6,2 | 4 - 6 |
| 61822520 | Marking rings PC 40/B | B | 5 – 6,2 | 4 - 6 |
| 61822530 | Marking rings PC 40/C | C | 5 – 6,2 | 4 - 6 |
| 61822540 | Marking rings PC 40/D | D | 5 – 6,2 | 4 - 6 |
| 61822550 | Marking rings PC 40/E | E | 5 – 6,2 | 4 - 6 |
| 61822560 | Marking rings PC 40/F | F | 5 – 6,2 | 4 - 6 |
| 61822570 | Marking rings PC 40/G | G | 5 – 6,2 | 4 - 6 |
| 61822580 | Marking rings PC 40/H | H | 5 – 6,2 | 4 - 6 |
| 61822590 | Marking rings PC 40/I | I | 5 – 6,2 | 4 - 6 |
| 61822600 | Marking rings PC 40/J | J | 5 – 6,2 | 4 - 6 |
| 61822610 | Marking rings PC 40/K | K | 5 – 6,2 | 4 - 6 |
| 61822620 | Marking rings PC 40/L | L | 5 – 6,2 | 4 - 6 |
| 61822630 | Marking rings PC 40/M | M | 5 – 6,2 | 4 - 6 |
| 61822640 | Marking rings PC 40/N | N | 5 – 6,2 | 4 - 6 |

AbN
automation

| | |
|---------------------------|-------------------------|
| 61820900 | DATA SHEET |
| Valid from: 14.04.2025 | Marking rings PC |

| | | | | |
|----------|--------------------------------|-------|---------|-------|
| 61822650 | Marking rings PC 40/O | O | 5 - 6,2 | 4 - 6 |
| 61822660 | Marking rings PC 40/P | P | 5 - 6,2 | 4 - 6 |
| 61822670 | Marking rings PC 40/Q | Q | 5 - 6,2 | 4 - 6 |
| 61822680 | Marking rings PC 40/R | R | 5 - 6,2 | 4 - 6 |
| 61822690 | Marking rings PC 40/S | S | 5 - 6,2 | 4 - 6 |
| 61822700 | Marking rings PC 40/T | T | 5 - 6,2 | 4 - 6 |
| 61822710 | Marking rings PC 40/U | U | 5 - 6,2 | 4 - 6 |
| 61822720 | Marking rings PC 40/V | V | 5 - 6,2 | 4 - 6 |
| 61822730 | Marking rings PC 40/W | W | 5 - 6,2 | 4 - 6 |
| 61822740 | Marking rings PC 40/X | X | 5 - 6,2 | 4 - 6 |
| 61822750 | Marking rings PC 40/Y | Y | 5 - 6,2 | 4 - 6 |
| 61822760 | Marking rings PC 40/Z | Z | 5 - 6,2 | 4 - 6 |
| 61822770 | Marking rings PC 40// | / | 5 - 6,2 | 4 - 6 |
| 61822780 | Marking rings PC 40/. POINT | . | 5 - 6,2 | 4 - 6 |
| 61822790 | Marking rings PC 40/, COMMA | , | 5 - 6,2 | 4 - 6 |
| 61822800 | Marking rings PC 40/: | : | 5 - 6,2 | 4 - 6 |
| 61822810 | Marking rings PC 40/= | = | 5 - 6,2 | 4 - 6 |
| 61822820 | Marking rings PC 40/ Earth | Earth | 5 - 6,2 | 4 - 6 |
| 61822860 | Marking rings PC 40/+ PLUS | + | 5 - 6,2 | 4 - 6 |
| 61822870 | Marking rings PC 40/- MINUS | - | 5 - 6,2 | 4 - 6 |
| 61822880 | Marking rings PC 40/~ SINUS | ~ | 5 - 6,2 | 4 - 6 |

Commodity product, not a Lapp product.