

75009698

**DATA SHEET**Valid from:  
31.10.2018**EPIC® SIGNAL M23 KIT D6 8+1 PINS SOLDER  
TERMINATION****LAPP****Description**

- Circular connector for servo cables and encoders
- Low-resistance screen contact
- Optimum EMC protection
- Use of high quality materials for increased reliability
- Complete connector with housing and insulation body, equipped with suitable solder contacts

**Components of the combination**

Article number of the combination	75009698
Housing	SIGNAL M23 D6 (44420037)
Insert	8+1 Pin (P-Part) with solder termination (73002740)

**General characteristics**

Series	SIGNAL M23
Type	D, Cable mounted
Version	Female
Connection type	Solder termination
Coding	Black (N)
Pin-arrangement	8+1 (P-Part)
Contact diameter, 8 Contacts	1 mm
Contact diameter, 1 Contact	2 mm
Termination cross section, 8 Contacts	Up to 1 mm <sup>2</sup>
Termination cross section, 1 Contact	Up to 2,5 mm <sup>2</sup>
Clamping range	7,0 mm – 13,0 mm
Degree of protection	IP 68 (10 h / 1 m) (latched)
Cycles of mechanical operation	100
Temperature range	-25 °C to +125 °C

**Materials and surfaces**

Housing, base material	Zinc die-cast
Housing, surface	Nickel
Sealing	FPM/FKM
Insert	PA
Contact, base material	Brass
Contact, surface	Gold

**Electrical characteristics**

Rated voltage	IEC: 150 V
Rated impulse voltage	2,5 kV
Rated current	20 A (2 mm Contact) 7 A (1 mm Contacts)
Contact resistance	< 4 mOhm
Verschmutzungsgrad	3

AbN  
automation

75009698

# DATA SHEET

Valid from:  
31.10.2018EPIC® SIGNAL M23 KIT D6 8+1 PINS SOLDER  
TERMINATION**LAPP**

## Approvals


VDE-Approval, VDE-REG.-Nr.  
UL File NumberC024  
E249137

## Standards

Safety Standard IEC 61984; UL 1977

## Technical Drawings

Housing




Insert






Good chemical resistance



Industrial machinery and plant engineering



Optimum strain relief



Mechanical resistance



Assembly time



Robust



Integrated SKINTOP® cable gland



Wind energy



Variety of approval certifications

## Info

Robust metal connector with integrated EMC cable gland

## Application range

Plant engineering

Servo drives and Servo assemblies

Measurement and control technology

Apparatus construction

## Remark

Photographs are not to scale and do not represent detailed images of the respective products.

AbN  
automation